




MILUXOR SCHIENEN

German manufacturer of heavy duty rails, telescopic slides and linear guides



High load capacity



Long durability



High resistance



Low maintenance



High smooth running




Precise processing





FULL EXTRACT MX-DTP 80


The MX-DTP 80 fully extending rails offers high installation, load capacity with a small footprint.




Technical Details

Load capacity	Up to 740 kg per pair
Available installation length	600 up to 2000 mm (More on request)
Bending	Max. 1% per meter at full load
Operating temperature	-50 °C up to 280 °C
Lifting movement	Through ball cages
Corrosion protection	Galvanized (C45)
Material	C45 / stainless steel / aluminum
Extension length	Same as installation length
Total length	Installation length + extension length
Mounting	12 x M8 threaded holes
Maintenance	Low maintenance
Adapted drilling pattern	On request
Customized products	On request





LOAD VALUES AND DRILLING PATTERN




MX-DTP 80 Load values table		MX-DTP 80 drilling pattern table				
Article-No.	Installation length in mm	Load in kg*	Dimensi on A	Dimensi on B	Dimensi on C	Dimensi on D
DTP80.060	600	620	600	50	---	400
DTP80.065	650	640	650	50	200	---
DTP80.070	700	660	700	50	225	---
DTP80.075	750	680	750	50	250	---
DTP80.080	800	700	800	50	275	---
DTP80.085	850	720	850	50	300	---
DTP80.090	900	740	900	50	325	---
DTP80.095	950	720	950	50	350	---
DTP80.100	1000	700	1000	50	375	---
DTP80.105	1050	710	1050	50	400	
DTP80.110	1100	720	1100	50	425	
DTP80.115	1150	720	1100	50	455	
DTP80.120	1200	710	1100	50	475	
DTP80.125	1250	700	1250	50	500	
DTP80.130	1300	690	1300	50	525	

* Load per pair in extended position, even weight distribution and vertical installation.





LOAD VALUES AND DRILLING PATTERN



MX-DTP 80 Load values table		MX-DTP 80 drilling pattern table				
Article-No.	Installation length in mm	Load in kg*	Dimensi on A	Dimensi on B	Dimensi on C	Dimensi on D
DTP80.135	1350	680	1350	50	550	---
DTP80.140	1400	650	1400	50	575	---
DTP80.145	1450	640	1450	50	600	---
DTP80.150	1500	620	1500	50	625	---
DTP80.155	1550	600	1550	50	650	---
DTP80.160	1600	580	1600	50	675	---
DTP80.165	1650	560	1650	50	700	---
DTP80.170	1700	540	1700	100	650	---
DTP80.175	1750	520	1750	100	675	---
DTP80.180	1800	500	1800	100	770	---
DTP80.185	1850	480	1850	100	725	---
DTP80.190	1900	460	1900	100	750	---
DTP80.195	1950	440	1950	100	775	---
DTP80.200	2000	420	2000	100	800	---

* Load per pair in extended position, even weight distribution and vertical installation.





CUSTOMISED SOLUTIONS

In addition to the standard versions, we offer customised solutions that meet your individual requirements. Our aim is to supply you with high-quality, robust and durable telescopic slides that are perfectly tailored to your specific areas of application.

Customised products

Overextract	Extension length = installation length + 50 %
Over-Overextract	Extension length = installation length + 100 %
Pull-out direction	Optional in both directions
Double-sided extract	Optionally with access barrier
Special drillings	Customisable according to your requirements

You can rely on our many years of experience and expertise in the manufacture of heavy-duty rails for a wide range of industrial applications and projects.





CONTACT UND SUPPORT

Customised offer or questions?

We are always available to help you further. Together we will find a customised solution that is precisely tailored to your requirements / project.

Contact:

Miluxor Schienen GmbH
Kruppstr. 10
36041 Fulda, Deutschland

Phone: +49(0)661 - 9 62 78 28
E-Mail: info@miluxor-schienen.de
Web: www.miluxor-schienen.de

