




MILUXOR SCHIENEN

German manufacturer of heavy duty rails, telescopic slides and linear guides



High load capacity



Long durability



High resistance



Low maintenance



High smooth running




Precise processing





FULL EXTRACT MX-S 70

The MX-S 70 fully extending rails offers high installation, load capacity with a small footprint.




Technical Details

Load capacity	Up to 275 kg per pair
Available installation length	300 up to 1.000 mm (More on request)
Bending	Max. 1% per meter at full load
Operating temperature	-50 °C up to 280 °C
Lifting movement	Through ball cages
Corrosion protection	Galvanized (C45)
Material	C45 / stainless steel / aluminum
Extension length	Same as installation length
Total length	Installation length + extension length
Mounting	4 or 6 x M6 threaded holes
Maintenance	Low maintenance
Adapted drilling pattern	On request
Customized products	On request





LOAD VALUES AND DRILLING PATTERN



Up to an installation length of 450 mm, the centre 2 holes are omitted

MX-S 70 Load values table		MX-S 70 drilling pattern table				
Article-No.	Installation length in mm	Load in kg*	Dimensi on A	Dimensi on B	Dimensi on C	Dimensi on D
S70.030	300	275	300	50	---	100
S70.035	350	270	350	50	---	150
S70.040	400	265	400	50	---	200
S70.045	450	260	450	50	---	250
S70.050	500	255	500	50	125	---
S70.055	550	240	550	50	150	---
S70.060	600	235	600	50	175	---
S70.065	650	230	650	50	200	---
S70.070	700	225	700	50	225	---
S70.075	750	220	750	50	250	---
S70.080	800	210	800	50	275	---
S70.085	850	195	850	50	300	---
S70.090	900	185	900	50	325	---
S70.095	950	170	950	50	350	---
S70.100	1000	160	1000	50	375	---

* Load per pair in extended position, even weight distribution and vertical installation.





CUSTOMISED SOLUTIONS

In addition to the standard versions, we offer customised solutions that meet your individual requirements. Our aim is to supply you with high-quality, robust and durable telescopic slides that are perfectly tailored to your specific areas of application.

Customised products

Overextract	Extension length = installation length + 50 %
Over-Overextract	Extension length = installation length + 100 %
Pull-out direction	Optional in both directions
Double-sided extract	Optionally with access barrier
Special drillings	Customisable according to your requirements

You can rely on our many years of experience and expertise in the manufacture of heavy-duty rails for a wide range of industrial applications and projects.





CONTACT UND SUPPORT

Customised offer or questions?

We are always available to help you further. Together we will find a customised solution that is precisely tailored to your requirements / project.

Contact:

Miluxor Schienen GmbH
Kruppstr. 10
36041 Fulda, Deutschland

Phone: +49(0)661 - 9 62 78 28
E-Mail: info@miluxor-schienen.de
Web: www.miluxor-schienen.de

